



passion for sports grounds



SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

телефон: +49 (0) 7306 96 65 0

факс: +49 (0) 7306 96 65 50

электронная почта: info@smg-machines.com




MixMatic - Смешивание
MixMatic M2402L



MixMatic - Смешивание

MixMatic M2402L



Номер(а) изделия(й):

6237244

Mixing shovel for binder and rubber granulate.

The M2402L mixing shovel is equipped with a double drive with two counter-rotating mixing tools, which ensure quick and intensive mixing of a homogeneous mix for sports and industrial flooring. The rotation speed of the mixing tools can be regulated and the hydraulic working pressure can be read on a pressure gauge. The robust mixing tools are adjustable and can be easily removed for cleaning. In addition to a mixing performance of 300kg/2min and a capacity of 600 liters, the M2402L impresses with its low weight of just 512kg. A substructure with integrated forklift pockets ensures safe parking and easy loading of the M2402L.

All standard adapter plates can be attached to the M2402L and the mixing blade can be operated on carrier vehicles with a hydraulic output of 90 liters per minute at approx. 150 bar (max. 200 bar). The mix is mixed on the way to the unloading point and delivered there in one pan or in portions.

MixMatic - Смешивание


MixMatic M2402L

Отдельные части крупным планом




Time-saving

Swivel mixing shovel for quick emptying of the material.



Powerful

Double drive for the mixing tools.



Adjustable

Adjustable rotation speed of the mixing tools.

MixMatic - Смешивание

MixMatic M2402L

Отдельные части крупным планом



Control

Pressure gauge for reading the hydraulic pressure.



Process reliability

Large capacity mixer container with hydraulic twin drive for the opposing mixing tools.



Ergonomic

Low filling height of 865 mm and substructure with forklift pockets for safe parking and loading.

MixMatic - Смешивание

MixMatic M2402L

Техническая информация

Привод	hydraulic
Производительность смешивания	300 кг/2 мин
Вес	512 кг
Размеры	Д 1 700 x Ш 1 390 x В 885 мм
Габариты при транспортировке	Д 1800 x Ш 1500 x В 1200 мм

Мы оставляем за собой право на технические изменения



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | телефон: +49 (0) 7306 96 65 0
факс: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com